

	<u>Selenia</u> <u>Digitek</u>	<u>Liqui</u> <u>Moly</u> <u>Synthoil</u> <u>Energy</u>	<u>ENI</u> <u>iSINT</u>	<u>Castrol</u> <u>Edge</u> <u>Sport rs</u>	<u>Castrol</u> <u>Edge</u> <u>Titanium</u> <u>FST</u>	<u>Mobil1</u> <u>New Life</u>	<u>Mobil1</u> <u>turbo-</u> <u>diesel</u>	<u>Mobil1</u> <u>ESP</u>	<u>Motul</u> <u>8100 x-</u> <u>max</u>	<u>Total</u> <u>Erg elf</u> <u>excell</u>	<u>Repsol</u> <u>Cosmos</u>	<u>Royal</u> <u>Purple</u>	<u>Shell</u> <u>Helix</u> <u>Ultra</u>
<u>SAE class</u>	0W-40	0W-40	0W40	0W-40	0W-40	0W-40	0W-40	0W-40	0W-40	0W-40	0W-40	0W-40	0W-40
<u>ACEA</u>	B4	B4	B4	C3	C3	B3/B4	B3/B4	C3	B4	B3	B3/B4	B3	B3/B4
<u>Visc. Index</u>		181	181	171	172	186	185	176	184	176	170	182	185
<u>Viscosity 40°</u>		80	74	75.7	77	78,3	75	73	76.2		80	79.9	75.2
<u>Viscosity 100°</u>	13.0	14.0	13.1	12.8	13.1	14.0	13.5	13.2	13.5	13	12.5	14.3	13.5
<u>Viscosity -35°</u>		<6200	6000	5850	5890						<6200		
<u>Ht/Hs Visc150°</u>		>3.5		3.6		3.7	3.8	3.76	3.6				3.68
<u>Pour point</u>	<-40°C	-48°C	-54°C	-60°C	-51°C	-54°C	-54°C		-45°C	-42°C	-54°C		-42°C
<u>Flash point</u>	>200°C	230°C	228°C	244°C	200°C	230°C	230°C	234°C	228°C	232°C	>215°C	240°C	241°C
<u>Density15/20°</u>	0.846	0.846	0.846	0.838	0.842	0.850	0.850	0.845	0.841				0.845
<u>TBN</u>	10	8.5		7.0		11.3	11.8	7.8	10.1	13	11.5		
<u>Sulfate ash</u>		1.2		0.73		1.2	1.3	0.8	1.1	1.4	1.1		